

KIDS AND COVID 19

Sarah Smith, BSME
askhealthyquestions.com



OVERVIEW

01

COVID-19 RISKS FOR KIDS

Extremely low risk of serious illness or death

03

LONG-TERM RISKS

Unknown due to no long-term safety testing

02


VACCINE SAFETY

Data from studies and the CDC

04

KIDS AND VACCINATION

Informed Consent requires balanced information



COVID-19 RISKS FOR KIDS

Nationally, kids have a **99.997% survival rate** from COVID-19.ⁱ

Less than 1% of child COVID-19 cases have resulted in hospitalization.ⁱⁱ



COVID-19 IS MILD FOR KIDS

COVID-19 illness is noticeably milder than influenza for most kids. ⁱⁱⁱ

This is true for the Delta variant, too.

Although it spreads easier, the Delta variant is proving to be less severe and deadly than previous variants.



WHAT ABOUT THE TEACHERS?

Asymptomatic transmission has been shown to be so rare^{iv} that it should not be used to drive public policy.

Kids do not spread this illness very effectively.^v

Teachers who want to receive COVID-19 vaccination are free to do so.



VACCINE EFFECTIVENESS

COVID-19 vaccines do not work as well against the Delta variant. ^{vi}

According to the CDC, **there can be large rates of transmission of the Delta variant from fully-vaccinated people.** ^{vii}

The image shows a screenshot of a CDC Morbidity and Mortality Weekly Report (MMWR) article. The page header includes the CDC logo and the text 'Centers for Disease Control and Prevention CDC 24/7: Saving Lives. Protecting People™'. A search bar is located in the top right corner. The article title is 'Outbreak of SARS-CoV-2 Infections, Including COVID-19 Vaccine Breakthrough Infections, Associated with Large Public Gatherings — Barnstable County, Massachusetts, July 2021'. The article is categorized under 'Morbidity and Mortality Weekly Report (MMWR)'. The 'Summary' section is highlighted, and the 'Article Metrics' section is visible on the right side.

Summary

What is already known about this topic?

Variants of SARS-CoV-2 continue to emerge. The B.1.617.2 (Delta) variant is highly transmissible.

What is added by this report?

In July 2021, following multiple large public events in a Barnstable County, Massachusetts, town, 469 COVID-19 cases were identified among Massachusetts residents who had traveled to the town during July 3–17; 346 (74%) occurred in fully vaccinated persons. Testing identified the Delta variant in 90% of specimens from 133 patients. Cycle threshold values were similar among specimens from patients who were fully vaccinated and those who were not.

Article Metrics

Altmetric: 2042


Platform	Count
News	636
Blogs	32
Policy documents	3
Twitter	26611
Facebook	15
Wikipedia	3
Reddit	20
Video	5
Mendeley	0

VACCINE COERCION FOR KIDS

Despite their extremely low risk from this illness, children are being pressured to take the COVID-19 shot.

School districts and elected **officials are pushing the shot for kids 5yo+.**

Schools are hosting vaccination clinics and incentives are being offered to kids for being vaccinated.



FDA AND CDC AUTHORIZATION DO NOT IMPLY LONG-TERM SAFETY

All 3 COVID-19 vaccines use new technology not previously approved for use in vaccines. ^{viii-x}

COVID-19 shots are still experimental.

Clinical trials for COVID-19 vaccines for children are still ongoing until at least 2024. ^{xi}



Study Description

Go to 

Brief Summary:

This is a Phase 1/2/3 study in healthy children and young adults.

Dependent upon safety and/or immunogenicity data generated during the course of this study, and the resulting assessment of benefit-risk, the safety, tolerability, and immunogenicity of BNT162b2 in participants <8 months of age may subsequently be evaluated.

Condition or disease 	Intervention/treatment 	Phase 
SARS-CoV-2 Infection, COVID-19	Biological: Biological/Vaccine: BNT162b2 10mcg Biological: BNT162b2 20mcg Biological: BNT162b2 30mcg Other: Placebo Biological: Biological/Vaccine: BNT162b2 3mcg	Phase 2 Phase 3

 **Pfizer
COVID-19
Vaccine**

► Show detailed description

Study Design

Go to 

Study Type  : Interventional (Clinical Trial)

Estimated Enrollment  : 7922 participants

Allocation: Non-Randomized

Intervention Model: Parallel Assignment

Masking: None (Open Label)

Primary Purpose: Prevention

Official Title: PHASE 1, OPEN-LABEL DOSE-FINDING STUDY TO EVALUATE SAFETY, TOLERABILITY, AND IMMUNOGENICITY AND PHASE 2/3 PLACEBO-CONTROLLED, OBSERVER-BLINDED SAFETY, TOLERABILITY, AND IMMUNOGENICITY STUDY OF A SARS-COV-2 RNA VACCINE CANDIDATE AGAINST COVID-19 IN HEALTHY CHILDREN and Young Adults

Actual Study Start Date  : March 24, 2021

Estimated Primary Completion Date  : June 18, 2024

Estimated Study Completion Date  : June 18, 2024

 **Clinical trials estimated completion in 2024**

VACCINE SAFETY INFORMATION IS BEING CENSORED

News media, social media platforms, and Google are **actively censoring information about negative reactions** to vaccines.

It is very difficult for people to find balanced information.



VACCINE SAFETY

The CDC's Vaccine Adverse Events Reporting System (VAERS) is our country's early warning system for vaccine safety.

Over 400 million doses of experimental COVID-19 vaccines have been administered.

Over 800,000+ negative reactions to COVID-19 vaccines have been reported. ^{xii}

CDC Centers for Disease Control and Prevention
CDC 24/7: Saving Lives. Protecting People™

Search Q

CDC WONDER FAQs Help Contact Us WONDER Search

About The Vaccine Adverse Event Reporting System (VAERS)

Request Form Results Map Chart Report About

[Dataset Documentation](#) [Other Data Access](#) [Data Use Restrictions](#) [How to Use WONDER](#)

Note: Any use of these data implies consent to abide by the terms of the data use restrictions.

The Vaccine Adverse Event Reporting System (VAERS)

The Vaccine Adverse Event Reporting System (VAERS) database contains information on unverified reports of adverse events (illnesses, health problems and/or symptoms) following immunization with US-licensed vaccines. Reports are accepted from anyone and can be submitted electronically at www.vaers.hhs.gov.

Search Current VAERS Data

The information in this database contains reports received from 1990 to the present. Data can be searched by the following: age, event category, gender, manufacturers, onset interval, recovery status, serious/non-serious category, state/territory, symptoms, vaccine, VAERS ID #, year reported, month reported, year vaccinated and month vaccinated. Click the VAERS Data Search button below to begin your data search.

* This allows you to search for details on a specific VAERS report by the VAERS ID number.

Disclaimer

VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

[Video: How to Access Data from CDC's VAERS WONDER System](#)

This video demonstrates how to search VAERS data using CDC WONDER. You will also learn about the purpose of VAERS and strengths and limitations of VAERS data.

Watch specific sections of the video:

- [Section 1: Introduction to VAERS](#)
- [Section 2: How to Search VAERS Public Data](#)
- [Section 3: Strengths and Limitations of VAERS Data](#)
- [Section 4: Where to Get More Information](#)

VAERS REPORTS OF NEGATIVE REACTIONS

VAERS data for COVID-19 vaccines includes:


- **Over 220,000 reports of anaphylaxis** (allergic reaction)^{xiii}
- **Over 131,000 reports of serious reactions** such as blood clots, Guillain-Barre syndrome, convulsions, heart attack, and Bell's palsy (facial paralysis)^{xiv}
- **Over 4,000 reports of miscarriage** or other severe pregnancy problems^{xv}
- **Over 18,000 deaths, including more than 25 children**^{xvi}



VAERS REPORTS OF DEATHS

More deaths have been reported for COVID-19 vaccines than for all other vaccines combined since 1990.

A third of the deaths reported after COVID-19 vaccination were in **people who became ill within 48 hours** of getting the shot.^{xvii}



ADVERSE REACTIONS GREATLY UNDERREPORTED IN VAERS

It is estimated that **only 1-10% of adverse reactions are reported to VAERS.** ^{xviii}

Thus, COVID-19 vaccine data in VAERS potentially represents tens of millions of adverse reactions and hundreds of thousands of deaths.



HEART PROBLEMS AFTER VACCINATION

CDC has **linked Moderna and Pfizer vaccines to increased rates of heart inflammation in young people.**^{xix}

Recent pre-print studies have found that **children have a greater risk of developing heart inflammation after vaccination** than they do of being hospitalized with COVID-19 illness.^{xx}

Some kids recover from vaccine-induced heart inflammation. Some **kids are left with long-term debility**, no longer able to exert themselves or live normal lives.



BLOOD CLOTS AND AUTOIMMUNE DISEASE AFTER VACCINATION

CDC has **linked J&J vaccine to increased rates of blood clots and Guillain Barre syndrome.**^{xxi}

Guillain Barre syndrome is an **autoimmune disease** where the immune system attacks the body's nerve cells.

It can result in extreme muscle weakness and debility, or even paralysis.




CHILD DEATHS AFTER COVID-19 VACCINATION

Over 25 children have died after COVID-19 vaccination. Many of these deaths were in children with no pre-existing health problems.

Children have died of heart failure and pulmonary embolism (blood clots in the lungs) after COVID-19 vaccination.^{xxii}

- A 13yo boy from Minnesota died of heart failure ~2 weeks after shots.
- 12yo girl from South Carolina died of respiratory tract hemorrhage 22 days after receiving COVID vaccine.
- Another 13yo boy, Jacob from Michigan, died in his sleep a couple days after the shot. He was found to have an enlarged heart and fluid surrounding his heart.





Tami Burages
@tburages



A week ago today my brother's 13-year-old son had his 2nd covid shot. Less than 3 days later he died.

The initial autopsy results (done Friday) were that his heart was enlarged and there was some fluid surrounding it. He had no known health problems. Was on no medications.

5:18 PM · Jun 20, 2021 · Twitter Web App

LONG-TERM RISKS TO COVID-19 VACCINATION

Vaccine development typically takes 5-10 years. There has been **no long-term safety testing** of COVID-19 vaccines.

It is **unknown whether these vaccines will have negative impacts on children's development.**

It is unknown whether these vaccines will have negative impacts on children's ability to grow up and have their own healthy children.



LONG-TERM TESTING IS NEEDED TO DETERMINE NEGATIVE EFFECTS SUCH AS CANCER

Without long-term testing, it is **unknown whether these vaccines will result in increased rates of chronic disease such as cancer.**

There is now evidence that the **vaccine components concentrate in the adrenal glands, ovaries, and bone marrow.** ^{xxiii} The effects of this are unknown.




VACCINE MANDATES FOR CHILDREN

States such as California are already mandating COVID-19 vaccination for children.

NM Statute 12-10A-13 allows children to be vaccinated without parental consent during a Public Health Emergency.^{xxiv}

Parents who do not want their children to receive COVID-19 vaccines need to be seriously considering homeschooling instead of public school.



2020 New Mexico Statutes

Chapter 12 - Miscellaneous Public Affairs Matters

Article 10A - Public Health Emergency Response

Section 12-10A-13 - Vaccination and treatment.

Universal Citation: [NM Stat § 12-10A-13 \(2020\)](#)

- A. During a state of public health emergency, a qualified person authorized by the secretary of health may vaccinate persons to prevent infection by a threatening communicable disease and to protect against the spread of that disease.
- B. To protect against the spread of a threatening communicable disease, the secretary of health may isolate or quarantine a person who is unable or unwilling for reasons of health, religion or conscience to undergo vaccination pursuant to the standards and procedures set forth in the Public Health Emergency Response Act.
- C. A qualified person authorized by the secretary of health may vaccinate a minor less than eighteen years of age, unless the minor or the minor's duly authorized representative presents a certificate issued by a duly licensed physician or an advanced practice registered nurse, certified nurse-midwife or physician assistant working within that person's scope of practice that states that the minor's physical condition is such that the vaccination would seriously endanger the minor's life or health.

KIDS AND COVID-19 VACCINATION

Remember: Kids have extremely low risk of serious illness or death from COVID-19.

CDC said it was safe to re-open schools before vaccines were rolled out.^{xxv}

Dozens of previously-healthy children have died after COVID-19 vaccination.



INFORMED CONSENT

Informed consent is one of the foundations of medical ethics.

People must be made aware of potential risks for any medical procedures, and free to make decisions without threats or coercion.

Many people do not have access to information for true Informed Consent.



HOW YOU CAN HELP

Share this information with families who are considering COVID-19 vaccination.

Direct people to [AskHealthyQuestions.com](https://www.AskHealthyQuestions.com) for more information.

Download and print flyers to distribute in your local community here:
[AskHealthyQuestions.com/flyers](https://www.AskHealthyQuestions.com/flyers)

Kids and COVID-19

Kids have a 99.997% survival rate from COVID-19. Less than 1% of kids with COVID-19 require hospitalization.

There has been no long-term safety testing of COVID-19 vaccines. The CDC has linked COVID-19 vaccines to increased rates of heart inflammation in teens.


The CDC's Vaccine Adverse Events Reporting System has reports of previously-healthy children dying from heart failure, heart inflammation, and blood clots within days of taking the COVID-19 shot.



For more information and references, go to: www.AskHealthyQuestions.com



ABOUT



Sarah Smith is a Natural Healthcare Practitioner and former NASA Aerospace Engineer. She has authored peer-reviewed scientific papers, served as Editor of a peer-reviewed scientific journal, and co-authored a book about oxygen safety.

Sarah is one of the leaders of the National Coalition for Health Integrity, which is a national grassroots organization that advocates for bodily autonomy. Sarah is also one of the leaders of the New Mexico Freedoms Alliance, a statewide non-partisan grassroots coalition working to protect civil liberties.

DISCLAIMER: This information is for educational purposes only and is not intended to be a substitute for medical treatment.





REFERENCES

- i. <https://www.cdc.gov/coronavirus/2019-ncov/hcp/planning-scenarios.html>
- ii. https://cv.nmhealth.org/wp-content/uploads/2021/07/COVID19-pediatric-hospitalization_07.12.2021.pdf
- iii. https://stacks.cdc.gov/view/cdc/93173/cdc_93173_DS1.pdf
- iv. <https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2774102>
- v. <https://publications.aap.org/pediatrics/article/146/2/e2020004879/36879/COVID-19-Transmission-and-Children-The-Child-Is>
- vi. <https://www.reuters.com/business/healthcare-pharmaceuticals/moderna-may-be-superior-pfizer-against-delta-breakthrough-odds-rise-with-time-2021-08-09/>
- vii. https://www.cdc.gov/mmwr/volumes/70/wr/mm7031e2.htm?s_cid=mm7031e2_w
- viii. <https://www.modernatx.com/mrna-technology/mrna-platform-enabling-drug-discovery-development>
- ix. https://www.pfizer.com/news/hot-topics/the_facts_about_pfizer_and_biontech_s_covid_19_vaccine
- x. <https://jamanetwork.com/journals/jama/fullarticle/2777172>
- xi. <https://clinicaltrials.gov/ct2/show/NCT04816643>
- xii. <https://medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=AGE&EVENTS=ON&VAX=COVID19>
- xiii. <https://medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=AGE&EVENTS=ON&SYMPTOMSSMQ=21&VAX=COVID19>





REFERENCES (CONT.)

- xiv. <https://www.medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=AGE&EVENTS=ON&VAX=COVID19&SERIOUS=ON>
- xv. <https://tinyurl.com/4epxyjx4>
- xvi. <https://medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=AGE&EVENTS=ON&VAX=COVID19&DIED=Yes>
- xvii. <https://childrenshealthdefense.org/defender/latest-data-cdc-vaers/>
- xviii. <https://digital.ahrq.gov/sites/default/files/docs/publication/r18hs017045-lazarus-final-report-2011.pdf>
- xix. <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/safety/myocarditis.html>
- xx. <https://www.medrxiv.org/content/10.1101/2021.08.30.21262866v1>
- xxi. <https://www.fda.gov/media/146305/download>
- xxii. <https://medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=AGE&EVENTS=ON&VAX=COVID19&VAXTYPES=COVID-19&DIED=Yes&STATE=NOTFR&WhichAge=range&LOWAGE=12&HIGHAGE=18>
- xxiii. <https://www.docdroid.net/xq0Z8B0/pfizer-report-japanese-government-pdf#page=16>
- xxiv. <https://law.justia.com/codes/new-mexico/2020/chapter-12/article-10a/section-12-10a-13/>
- xxv. <https://www.youtube.com/watch?v=sxKhJaqEkcY>

For more references and information, go to:
www.askhealthyquestions.com/kids-and-covid



CONTACT

www.askhealthyquestions.com

CREDITS: This presentation template was created by **Slidesgo**, including icons by **Flaticon**, and infographics & images by **Freepik**.

